



Case Study

Innovative Utility-Scale PV Solar + DC-coupled Storage

Examining the End-to-End Power Conversion Solution used in LATAM's largest PV+storage power plant



Optimize PV Systems



DC-Coupled Storage



Software Controls & Monitoring



Hardware Platforms



AC coupled solar integration



Power Converter Station for **BESS** integration



Advanced Multiport Power Station



Static Synchronous Compensator

Software Platforms



EMS



SCADA

eks Energy is a leading power conversion system manufacturer focused on grid-friendly energy storage and renewable integration.



5.3 GW+

Installed

30+

Countries with **Deployments**

180+

Projects Deployed 20+ Years

of Experience

Competitive advantages



AC & DC coupling



Ample range of Operations



Fast response



Open control Platform



Grid-forming

Droop and Virtual Synchronous Machine Control

4 GW


Per Year

Manufacturing Capacity


© 2024 Ampt & eks Energy Proprietary & Confidential

About the Project PV Solar + DC-coupled Energy Storage

Location Andes; Antofagasta; Chile **Ampt String Optimizers** Model of the plant Hybrid: PV + Battery eks Energy Advanced Multiport Rated Power at POI 130 MW Power Station Capacity 650 MWh Inverter and eks Energy Advanced Multiport Power Station battery converter String optimizer Ampt V1475-32-30 Altitude 2700 masl Construction 2020 - 2023




Smart PV + DC-coupled Storage Solution




Our Solution Advantage

AC-Coupled Storage

Fixed DC-Coupled Storage





Fewer & lower cost transformer

Lower Cost & Higher Performance

Higher Voltage, Higher Power Density Inverter







		Variable Voltage	High Fixed-Voltage	
DC (PV array)				
Max DC voltage	Vdc	1500	1550	
Voltage range at full power	Vdc	850 - 1500	1350 (Programmable)	
Rated input voltage	Vdc	850	1350	Higher
Rated input current	Α	6400	6400	
AC (Grid)				
Nominal AC voltage	Vac	600	850	Higher
Rated output current	Α	2080	2080	
Rated AC power	MVA	2.0	2.8	40% 👚

Deploy fewer inverters at a lower cost per watt


Lower Cost, Higher Efficiency Battery Converter



Advanced Multiport Power Station




Variable Voltage





High Fixed-Voltage




- 50% less circuitry
- Higher power density
- Higher efficiency (+0.5 0.8%)

GFM: All Functions/Manageability of Traditional Power Plants

Feature	GFM	GFL
Voltage and Frequency ride through capabilities		
Reactive power support		
Frequency control capabilities		
Virtual inertia		0
Islanding operation		0
System restart		
Black start		0

Grid-forming mode offers standalone and high and low inertia grid operation

Plant Grid-Tied to Islanded



Smooth transition between grid-tied and islanded mode operation

Founded in 2007

Award Winning Technology

Market Leadership





DC Power Management
Products & Software



~3 GW shipped

15+
countries with deployments



Gold Winner for Pioneer in New Technology - Storage



Top Ten Energy Storage Solutions Provider




Top Product in Power Electronics




Top Product of the Year

Ampt String Optimizer




Ampt Communication Unit

String Optimizer Enables High Fixed-Voltage




MPP Tracking on each string eliminates voltage mismatch. Programmable output delivers high fixed-voltage output.

Lower Cost Electrical BOS




Fewer combiners and less cabling to save on cost

More Energy Through Mismatch Correction



134x higher resolution MPPT improves performance


String-Level MPPT Recovers Mismatch Losses



String optimizers recover ~33% of annual losses


Performance Advantage of our DC-Coupled Solution

Storage Roundtrip Efficiency



Achieve higher roundtrip storage efficiency while increasing the operating efficiency of the inverter and battery converter.

Curtailment Harvest



Capture array power that would normally be lost by charging the battery during periods of AC power curtailment.

Mismatch Recovery



Deliver more energy by recovering mismatch losses from various sources with string-level maximum power point tracking (MPPT).

Clipped Energy Harvest



Charge the battery when the PV inverter is clipping output power. Capture array power that would otherwise be lost.

Low Voltage Harvest



Charge the battery storage system when the array voltage is below the inverter turn on voltage to maximize energy production.

Mitigate Degradation



Recover energy losses caused by variable degradation of PV cell and modules within a system to improve lifetime system performance.

Higher performance compared to AC-coupled solutions

Smart PV + DC-coupled Storage Solution



Lower total system cost



Increase PV performance



Fewer and lower cost inverter & transformer



More efficient energy storage



Lower cost battery converter



Improved O&M



Decrease EBOS costs



Simplified DC controls for improved grid response

Advancing Renewable Energy Around the World

Thank You





Salvador Rodriguez
Chief Commercial Officer



srodriguez@eksenergy.com



https://www.linkedin.com/in/salvador-rodríguez-a2121891/





Mark Kanjorski VP Strategic Marketing



mark.kanjorski@ampt.com



https://www.linkedin.com/in/mark-kanjorski-3b76a149